



MANZARI ELECTRICAL AND ELECTRONICS

BRINGING LIGHT TO YOUR LIFE



WE ARE ENGAGED IN MANUFACTURING AND SUPPLYING OF COMPLETE SOLUTIONS FOR LED LIGHT AND HOME AUTOMATION

- ECO FRIENDLY • LONG LIFE • SAVE ENERGY



ABOUT US

ESTABLISHED AT AHMEDABAD,(GUJARAT,INDIA) WE MANZARI ELECTRICAL AND ELECTRONICS ARE MANUFACTURING AND SUPPLYING OF HIGH PERFORMANCE ENERGY EFFICIENT PRODUCT.THE RANGE MADE BY US IN THE MARKET , COMPRISES OF THE FINEST PRODUCTS AND THE MOST DEMANDED PRODUCT LIKE LED BULB,LED TUBE LIGHT,LED FLOOD LIGHT,LED STREET LIGHT,LED PANEL LIGHT, LED COB LIGHT, LED SURFACE LIGHT ETC

- WE ARE ALSO PROVIDING HOME AUTOMATION PRODUCT LIKE MOTION SENSOR BULB,REMOTE CONTROL LIGHT ETC.
- OUR PRODUCT ARE MADE IN INDIA WHICH ASSURES BETTER QUALITY PROVIDING BEST SERVICE TO OUR CUSTOMERS IS OUR GOAL.



LED PRODUCT



LED BULB



SPECIFICATION:

INPUT VOLTAGE:AC220V-240V

RATED LIFE:40,000 HRS

BEAM ANGLE:180 DEGREE

COLOUR:COOL WHITE,NATURAL WHITE,COOL WARM

POWER DRIVER:90V/270V INTERNAL / PF>0.9

MATERIAL:ALUMINUM CASING/POLYCARBONATE

DIFFUSER/ALUMINUM PCB/ 1 YEARS WARRANTY.

POWER	3	5	7	9	12	15
LIGHT OUTPUT	270 lm	450 lm	630 lm	810 lm	1080 lm	1350 lm

TUBE LIGHT



SPECIFICATION:

INPUT VOLTAGE:AC220V-240V

RATED LIFE:40,000 HRS

BEAM ANGLE:120 DEGREE

COLOUR:COOL WHITE,NATURAL WHITE,COOL WARM

POWER DRIVER:90V/270V INTERNAL / PF> 0.5 & 0.9

MATERIAL:ALUMINUM CASING/POLYCARBONATE DIFFUSER/

ALUMINUM PCB/ 1 YEARS WARRANTY.

POWER	3	5	7	9	12	15
LIGHT OUTPUT	500 lm	900 lm	1200 lm	1800 lm	2200 lm	2600 lm



LED PANEL/SURFACE LIGHT



SPECIFICATION:

INPUT VOLTAGE:AC220V-240V

RATED LIFE:40,000 HRS

BEAM ANGLE:120 DEGREE

COLOUR:COOL WHITE,NATURAL WHITE,COOL WARM

POWER DRIVER:90V/270V INTERNAL / PF>0.9& 0.5

MATERIAL:ALUMINUM CASING/POLYCARBONATE DIFFUSER/

ALUMINUM PCB/ 1 YEARS WARRANTY

POWER	3 W	6 W	9 W	12 W	18 W	22 W
LIGHT OUTPUT	3 W	6 W	12 W	18 W	22 W	30 W



FLOOD LIGHT:SLIM/COB



SPECIFICATION:

INPUT VOLTAGE:AC220V-240V

RATED LIFE:40,000 HRS

BEAM ANGLE:180 DEGREE

COLOUR:COOL WHITE,NATURAL WHITE,COOL WARM

POWER DRIVER:90V/270V INTERNAL / PF>0.9

MATERIAL:ALUMINUM CASING/POLYCARBONATE DIFFUSER/
ALUMINUM PCB/ 1 YEARS WARRANTY.

POWER	24 W	30 W	36 W	60 W	80 W	100 W
LIGHT OUTPUT	10 W	20 W	30 W	50 W	75 W	100 W

LED STREET LIGHT



SPECIFICATION:

INPUT VOLTAGE:AC220V-240V

RATED LIFE:40,000 HRS

BEAM ANGLE:180 DEGREE

COLOUR:COOL WHITE,NATURAL WHITE,COOL WARM

POWER DRIVER:90V/270V INTERNAL / PF>0.9

MATERIAL:ALUMINUM CASING/POLYCARBONATE DIFFUSER/
ALUMINUM PCB/ 1 YEARS WARRANTY.

POWER	3	5	7	9	12	15
LIGHT OUTPUT	270 lm	450 lm	630 lm	810 lm	1080 lm	1350 lm



HOME AUTOMATION

PIR MOTION SENSOR



MICROWAVE SENSOR



DESCRIPTION: PERSON ENTER IN A RANGE OF LIGHTS/FANS ON, LEAVE OFF BY SET TIMING, IT GETS ACTIVE BY MOTION AND EMITS HIGH FREQUENCY ELECTROMAGNETIC WAVE ON/OFF LIGHTING

SPECIFICATION:

OPERATING VOLT:220~250 VAC/50 Hz

LOAD CAPACITY:1000 Watt

LUX/TIME/SENSITIVITY ADJUSTMENT*

HIGHLY DURABLE



WIFI CONTROL SWITCH



DESCRIPTION:

REMOTE ON/OFF: TURN ELECTRICAL DEVICE ON/OFF FROM ANYWHERE

APP SUPPORT: FREE IOS AND ANDROID MOBILE APP EWELINK

SYNC STATUS: REAL-TIME DEVICE STATUS PROVIDED TO APP

TIMING: SET SCHEDULED/COUNTDOWN/LOOP TIMERS TURN ON/OFF AT SPECIFIED TIME

SHARE CONTROL: CONTROL YOUR SMART HOME TOGETHER WITH YOUR FAMILY

SMART SCENE: TRIGGERED ON/OFF BY TEMPERATURE, HUMIDITY OR OTHER ENVIRONMENTAL CONDITION

VOICE CONTROL: WORKS PERFECTLY WITH AMAZON ALEXA, GOOGLE ASSISTANT

COMPATIBILITY: WORKS PERFECTLY WITH AMAZON ALEXA, GOOGLE ASSISTANT , IFTTT, GOOGLE NEST

REMOTE CONTROL FAN/LIGHT



DESCRIPTION: HUMMING LESS FAN SPEED

INBUILT MEMORY/SMPS BASE POWER SUPPLY

HIGHLY DURABLE/1000 WATT PER POINT

INSTALL INSIDE OR OUTSIDE SWITCH BOARD



REMOTE CONTROL FAN REGULATOR



FEATURES:IT CAN BE USED WITH REMOTE AS WELL AS WITHOUT REMOTE.
1 HOURS TO 9 HOURS OFF TIMER .IT DISPLAY THE FAN SPEED IN NUMBERS.
STATE OF THE ART MICROCOMPUTER BASED 100% SOLID STATE CIRCUIT

SPECIFICATIONS:

I/P SUPPLY: 230V/50 Hz, AC

FAN O/P: 230V AC,200W max

FAN REGULATION SPEED: 10 SPEEDS AS 1,2,3,4,5,6,7,8,9,F

MAXIMUM DIMENSIONS:L=42MM, H=60MM,D=40MM

BATTERY FOR REMOTE UNIT: TWO AAA SIZE PENCIL CELLS

SMOKE DETECTOR



FEATURES:

EASY TO USE & INSTALLATION.

LOUD ALARM UPTO 85DB ALARM SIGNAL.

FLASHING LED INDICATION.

COLOR: WHITE

TEST BUTTON FOR EASY RECOMMENDED MONTHLY TESTING.

IT CAN INSTALL CEILING OR WALL

LOW BATTERY WARNING



LPG SMOKE DETECTOR



- DETECTS ALL SORTS OF COMBUSTIBLE GASES, LPG AND LNG, INCLUDING CITY GAS
- SELF TEST FUNCTION
- LESS AFFECTED BY OTHER ORGANIC SOLVENTS
- LOUD SOUND SIGNAL OF 85 DB AT ALARM MODE
- EASY INSTALLATION AND MAINTENANCE
- MODERNIZED DESIGN
- IDEAL FOR ALL KITCHENS
- EXCELLENT RELIABILITY & HIGH STABILITY
- DURABLE SENSOR HEAD
- HIGH ACCURACY

SOLAR PIR MOTION SENSOR WITH LIGHT

FEATURES: PASSIVE INFRA-RED MOTION SENSOR/DETECTOR.
ON/OFF MODE SWITCH ON THE FRONT OF THE FIXTURE.
20 SMDS WITHIN THE LAMPSHADE.



RECHARGEABLE BATTERIES ARE INCLUDED AND ARE PRE-INSTALLED.
THE SOLAR PANEL IS BUILT INTO THE FIXTURE CASE.
ILLUMINATION TIME IS SET TO 30 SECONDS.
BLACK ABS PLASTIC CONSTRUCTION, NO PARTS TO RUST.
EASY TO INSTALL ALMOST ANYWHERE.
SOLAR PANEL : 0.55W 17% EFFICIENCY
LI-ON BATTERY: 3.7V 800MAH
NIGHT SENSOR:<10 LUX
MOTION ANGLE AND DISTANCE: 120 DEGREES
DELAY TIME: 10 SECONDS



LDR/PHOTOCELL BASED DAY/NIGHT AUTOMATIC LIGHT ON/OFF



DESCRIPTION:

- THIS PRODUCT IS A ENERGY SAVING DEVICE, IT CAN TURN ON OR TURN OFF LIGHT BY AUTOMATICALLY ACCORDING TO AMBIENT-LIGHT.
- IT CAN CONTROL THE LOAD WORKING AT NIGHT. IT CAN CONTROL THE LOAD WORKING ONLY AT NIGHT.
- YOU CAN USE THIS SENSOR IN ROAD LIGHTS, STREET LIGHTS, GARDEN LIGHTS, PASSAGE, FRONT GATE OR MAIN DOOR LIGHTS, POLE LIGHT, INCANDESCENT LAMP, LED LIGHTS AND ALL OTHER KINDS OF LAMPS UP TO 10 AMP ETC

DIGITAL PROGRAMMABLE TIMER PLUG SOCKET



SPECIFICATION:

- MIN SETTING TIME: 1 MIN
- 1000 WATT / 10 AMPS 240 V AC
- OPERATING TEMPERATURE: -10 TO + 40 DEG C
- ACCOURANCY: +/-1 MIN PER MONTH
- 24 HOURS / 7 DAYS A WEEK PROGRAMMABLE
- BUILT-IN BATTERY FOR BACKUP WHEN POWER FAILURE
- REPEAT PROGRAMS WITH 16 ON/OFF SETTINGS, AND SETTING ON/OFF MANUALLY
- BATTERY BACKUP: NI-MH 1.2V 80MAH
- CURRENT CUNSUMPTION: 0.015MA
- SOCKET TYPE: INDIAN STANDARD



PROGRAMMABLE TIMER



DESCRIPTION:

- RATED CONTROL VOLTAGE: 16A(8)AMP,180~ 250V AC. THE PANEL-MOUNT DIGITAL TIMER SERIES CAN BE OPERATED IN 4 SEPARATE POWER SUPPLIES.
- THE DIGITAL TIMER IS ACCURATE TO THE MINUTE, HOUR, DAYS, DESIGNED WITH EITHER 17 ON/OFF (EVENT) PER DAY
- PROVIDE 15 COMBINATION OF DAILY PROGRAMS WHICH CAN LEAD GREAT CONVENIENCE TO USER UPON CHOOSING THE REQUIRED DAYS IN A WEEK FOR OPERATION THE TIME
- ADVANCED PRE-SETTING ONE WEEK BEFORE, DIGITAL ELECTRONIC TIMER SWITCH WITH DAILY AND WEEKLY PROGRAMS
- REPEAT PROGRAMS WITH 17 ON/OFF SETTING AND MANUAL OVERRIDE LITHIUM BATTERY POWER RESERVE WHEN ELECTRIC SUPPLY CUT OFF

ELECTRICAL ITEMS



WE ALSO DISTRIBUTE ELECTRICALS ITEMS LIKE FAN, SWITCH AND PLATE,WIRE ETC



WARRANTY POLICY AND PROCEDURE

TERMS OF WARRANTY:

- LED PRODUCT ARE WARRANTED AGAINST DEFECTIVE MANUFACTURE FOR A PERIOD FROM DATE OF PURCHASE.THE COMPANY HOWEVER ACCEPTS NO RESPONSIBILITY FOR ANY RESULTING LIABILITY OR LOSSES ARISING THROUGH ANY DEFECTIVE GOODS SUPPLIED BY US FITTING THEREOF AND ALL CONDITION AND WARRANTIES IMPLIED AS TO QUALITY , FITNESS
- WE ACCEPT NO RESPONSIBILITIES FOR THE PERFORMANCE OF GOODS MADE ESPECIALLY BY CUSTOMERS INSTRUCTION.
- ALL CLAIMS SHOULD BE MADE WITH WARRANTY PERIODS
- CLAIMS SHOULD BE MADE TO THE COMPANY AT ITS WARRANTY CENTER ALONG WITH INVOICE
- THE WARRANTY BECOMES VOID IF PRODUCTS ARE USED AGAINST USAGE POLICY.
- IF ANY PARTS ARE DAMAGED DUE TO NEGLIGENT MAINTENANCE,OR TEMPERING,OR IF THESE ARE DESTROYED IN AN ACCIDENTAL,FIRE WRECKAGE ON EXPLOSION,THE WARRANTY BECOME VOID
- IF THE DEFECT ARE DUE TO FAULTY ELECTRICAL SYSTEM ,NEGLIGENT MAINTENANCE,IMPROPER VOLTAGE FLUCTUATION ,HANDLING AND SERVICING OF THE PRODUCT BY UNAUTHORIZED DEALER OR ELECTRICIANS, THEN THE WARRANTY IS NULLIFIED
- IN ALL CLAIMS ,COMPANY'S DECISION WILL BE FINAL AND LEGALLY BOUNDED
- THE RIGHT TO DETERMINE WHETHER A PRODUCT NEEDS REPLACEMENT OR REPAIR RESTS WITH THE COMPANY THE WARRANTY PERIOD OF THE PRODUCTS BEING REPLACED SHALL COMMENCE FROM THE DATE OF SALE OF ORIGINAL PRODUCTS AS STARTED IN THE INVOICE AND NOT FROM THE DATE OF REPLACEMENT GIVEN.
- IN CASE OF PRODUCT IS REPLACED UNDER WARRANTY,THE DEFECTIVE PRODUCT BEING REPLACED WILL BECOME THE PROPERTY OF THE COMPANY AND NO SCRAP REBATE WILL BE GIVEN FOR IT
- WARRANTY WILL BE VOID IN CASE OF WARRANTY STICKER/EMBOSSING PROVIDED ON THE PRODUCTS REMOVED OR TEMPERED

CONTACT US

NAME: MANZARI ELECTRICAL AND ELECTRONICS
CONTACT PERSON: ANSARI HAFIZ
ADDRESS: 39 NABINAGAR, BERAL MARKET, CHANDOLA LAKE, NAROL
AHMEDABAD, GUJARAT 380028 INDIA
MOBILE NO: 7600450085
EMAIL: HAFIZANSARI65@YAHOO.COM

